




# CLUTCH ALIGNMENT TOOLS



MAKE & MODEL	YEARS	DESCRIPTION	CLUTCHHUB DIA & SPLINE	PILOT BEARING/BUSHING DIAMETER	LENGTH	PART #
<b>Acura</b>						
<b>CL</b>	97-99	All	1 1/32 x 24	.745	.925	<b>5424</b>
<b>Integra</b>	86-89	All	27/32 x 21	.674	.746	<b>5389</b>
	90-91	All	1 x 24	.590	1.637	<b>5322</b>
	92-99	All	1 1/8 x 24	.590	.850	<b>5417</b>
<b>Legend</b>	86-90	All	1 x 24	.687	.739	<b>5390</b>
	91-95	All	1 1/32 x 24	.690	.745	<b>5423</b>
<b>Vigor</b>	92-94	All	1 1/32 x 24	.690	.745	<b>5423</b>
<b>Alfa Romeo</b>						
<b>164</b>	91-95	All	7/8 x 20	.590	1.069	<b>5337</b>
<b>2000 Sprint</b>	72-86	All	1 x 10	.620	1.095	<b>5373</b>
<b>Alfetta</b>	75-80	All	7/8 x 19	.590	.824	<b>5357</b>
	81-84	All	7/8 x 19	.590	.824	<b>5357</b>
<b>Berlina</b>	68-86	1.8L	1 x 10	.620	1.095	<b>5373</b>
<b>GTV</b>	72-86	2.0L	1 x 10	.620	1.095	<b>5373</b>
	68-72	1.8L	1 x 10	.620	1.095	<b>5373</b>
<b>GTV-6</b>	75-85	All	7/8 x 19	.590	.590	<b>5357</b>
<b>Spider</b>	68-93	All	1 x 10	.620	1.095	<b>5373</b>
<b>American Motors</b>						
<b>Ambassador</b>	68-72	1 in. Shaft	1 x 10	.755	1.681	<b>5376</b>
	65-70	1 1/8 in. Shaft	1 1/8 x 10	.755	.943	<b>5374</b>
<b>American, Rogue</b>	64-66	1 in. Shaft	1 x 10	.620	1.095	<b>5373</b>
	67-69	1 in. Shaft	1 x 10	.755	1.681	<b>5376</b>
	67-69	1 1/8 in. Shaft	1 1/8 x 10	.755	.943	<b>5374</b>
<b>AMX, Javelin</b>	1968	1 in. Shaft	1 x 10	.755	1.681	<b>5376</b>
	68-74	1 1/8 in. Shaft	1 1/8 x 10	.755	.943	<b>5374</b>
	71-74	1 in. Shaft	1 x 10	.754	2.158	<b>5349</b>
	74-79	1 1/16 in. Shaft	1 1/16 x 10	.675	1.726	<b>5375</b>
<b>Classic</b>	64-65	All	1 x 10	.620	1.095	<b>5373</b>
	66-68	All	1 x 10	.755	1.681	<b>5376</b>
	64-65	All	1 1/8 x 10	.623	1.248	<b>5365</b>
	1967	All	1 1/8 x 10	.755	.943	<b>5374</b>

Clutch Tools



# CLUTCH ALIGNMENT TOOLS

MAKE & MODEL	YEARS	DESCRIPTION	CLUTCH HUB DIA & SPLINE	PILOT BEARING/BUSHING DIAMETER	LENGTH	PART #
<b>American Motors (Continued)</b>						
Concord, Pacer, Spirit	75-79	10 Spline	1 1/16 x 10	.675	1.726	5375
	75-79	23 Spline	1 x 23	.590	1.069	5311
	80-83	10 Spline	1 1/8 x 10	.592	1.110	5301
Eagle, Kamback	81-87	4 Cyl.	1 x 14	.592	1.089	5312
	80-87	6 Cyl.	1 1/8 x 10	.592	1.110	5301
Gremlin, Hornet, Matador	70-77	1 in. Shaft	1 x 10	.755	1.681	5376
	70-77	1 1/16 in. Shaft	1 1/16 x 10	.675	1.726	5375
	77-78	1 1/8 in. Shaft	1 1/8 x 10	.592	1.110	5301
<b>Audi</b>						
80, 80 Quattro	88-92	All	15/16 x 23	.591	1.090	5416
90, 90 Quattro	88-95	To Ch. #8CP2000001	15/16 x 23	.591	1.090	5416
100 LS	70-77	All	13/16 x 24	.709	.847	5351
100, 100 Quattro	88-94	To Ch. #4A-P-080000	15/16 x 23	.591	1.090	5416
200 Turbo Quattro	90-91	Fr. Ch. #MC049109	13/16 x 24	.591	1.085	5302
	1989	To Ch. #MC049108	13/16 x 24	.709	.847	5351
4000	80-87	4 Cyl.	13/16 x 24	.591	1.085	5302
	80-87	5 Cyl.	13/16 x 24	.709	.847	5351
5000	78-88	All	13/16 x 24	.709	.847	5351
A4, A6 (Incl. Quattro)	97-98	1.8L	15/16 x 23	.590	1.090	5416
Coupe	81-87	All	13/16 x 24	.709	.847	5351
Fox	73-79	All	13/16 x 24	.591	1.085	5302
Quattro	82-85	2.2L	13/16 x 24	.709	.847	5351
V8 Quattro	89-94	All	15/16 x 23	.591	1.090	5416
<b>Austin</b>						
Marina	72-74	All	1 x 23	.625 / .487	1.806	5331
<b>Austin Healey</b>						
100-4, 100-6, 3000	59-68	All	1 1/8 x 10	.744	2.141	5369
Sprite MK I, II, III, IV	58-72	All	7/8 x 10	.504	1.777	5330
<b>BMW</b>						
318c, 318i, 318ic, 318is, 318s, 318ti, 320i	76-85	All	1 1/8 x 10	.472	1.010	5317
	90-98	All	1 1/8 x 10	.591	1.080	5326
325e, 325es	84-89	All	1 1/8 x 10	.472	1.010	5317
325i, 325ic, 325is, 325ix	86-90	All	1 1/8 x 10	.472	1.010	5317
	91-95	All	1 1/8 x 10	.591	1.080	5326



# CLUTCH ALIGNMENT TOOLS

MAKE & MODEL	YEARS	DESCRIPTION	CLUTCH HUB DIA & SPLINE	PILOT BEARING/BUSHING DIAMETER	LENGTH	PART #
--------------	-------	-------------	----------------------------	-----------------------------------	--------	--------

## BMW (Continued)

<b>328i, 328ic, 328is</b>	96-98	All	1 1/8 x 10	.591	1.080	<b>5326</b>
<b>524td</b>	82-87	Turbo Diesel	1 1/8 x 10	.472	1.010	<b>5317</b>
<b>525i</b>	89-90	SOHC	1 1/8 x 10	.472	1.010	<b>5317</b>
	90-8/90	DOHC	1 1/8 x 10	.472	1.010	<b>5317</b>
	9/90-95	DOHC	1 1/8 x 10	.591	1.080	<b>5326</b>
<b>528e</b>	82-88	All	1 1/8 x 10	.472	1.010	<b>5317</b>
<b>528i, 530i</b>	75-81	All	1 1/8 x 10	.472	1.010	<b>5317</b>
	94-98	All	1 1/8 x 10	.591	1.080	<b>5326</b>
<b>533i, 535i</b>	83-93	All	1 1/8 x 10	.472	1.010	<b>5317</b>
<b>540i</b>	94-98	All	1 3/8 x 10	.591	1.090	<b>5422</b>
<b>630CS, 630CSi, 633CS, 633CSi, 635CS, 635CSi</b>	76-89	All	1 1/8 x 10	.472	1.010	<b>5317</b>
<b>733i, 735i, 735iL</b>	77-92	All	1 1/8 x 10	.472	1.010	<b>5317</b>
<b>850i, 850ci, 850CSi</b>	90-96	All	1 1/8 x 10	.591	1.080	<b>5326</b>
<b>1500</b>	62-65	All	1 1/8 x 10	.472	1.010	<b>5317</b>
<b>1600, 1600ti, 1602</b>	62-77	All	1 1/8 x 10	.472	1.010	<b>5317</b>
<b>1800, 1800ti</b>	64-71	All	1 1/8 x 10	.472	1.010	<b>5317</b>
<b>2000, 2000cs, 2000ti</b>	65-72	All	1 1/8 x 10	.472	1.010	<b>5317</b>
<b>2002, 2002tii</b>	67-76	All	1 1/8 x 10	.472	1.010	<b>5317</b>
<b>2500, 2800</b>	69-76	3.0L	1 1/8 x 10	.472	1.010	<b>5317</b>
<b>Bavaria, 3.0 Series</b>	69-76	All	1 1/8 x 10	.472	1.010	<b>5317</b>
<b>M3</b>	87-91	All	1 1/8 x 10	.472	1.010	<b>5317</b>
	95-98	Twin Mass Flywheel	1 1/8 x 10	.591	1.080	<b>5326</b>
<b>M5</b>	68-93	All	1 1/8 x 10	.472	1.010	<b>5317</b>
<b>M6</b>	86-90	All	1 1/8 x 10	.472	1.010	<b>5317</b>
<b>Z3</b>	96-98	All	1 1/8 x 10	.591	1.080	<b>5326</b>

## Buick

<b>All Early Models</b>	64-77	10 Spline	1 1/8 x 10	.592	1.110	<b>5301</b>
	64-77	26 Spline	1 1/8 x 26	.592	1.066	<b>5313</b>
<b>Century, Regal</b>	78-81	All	1 1/8 x 10	.592	1.110	<b>5301</b>
	88-89	All	1 x 14	.828	1.069	<b>5406</b>
<b>Skyhawk</b>	75-80	6 Cyl.	1 1/8 x 10	.592	1.110	<b>5301</b>
	77-80	4 Cyl., (2.5L)	1 1/8 x 10	.592	1.110	<b>5301</b>
	82-88	4 Cyl., (Exc. 2.5L)	1 x 14	.828	1.069	<b>5406</b>
<b>Skylark, Somerset</b>	78-80	3.8L	1 1/8 x 10	.592	1.110	<b>5301</b>
	79-81	(RWD) 2.5L	1 x 14	.592	1.089	<b>5312</b>
	81-88	(FWD) 2.5L, 2.8L, 3.0L	1 x 14	.828	1.069	<b>5406</b>

Clutch Tools



# CLUTCH ALIGNMENT TOOLS

MAKE & MODEL	YEARS	DESCRIPTION	CLUTCH HUB DIA & SPLINE	PILOT BEARING/BUSHING DIAMETER	LENGTH	PART #
<b>Cadillac</b>						
Cimarron	82-87	4 Cyl., (1.8L, 2.0L)	1 x 14	.828	1.069	<b>5406</b>
	85-86	6 Cyl., (2.8L 4 Spd.)	1 x 14	.592	1.089	<b>5312</b>
	87-88	6 Cyl., (2.8L 5 Spd.)	1 x 14	.828	1.069	<b>5406</b>
<b>Checker</b>						
All Models	64-79	All	1 1/8 x 10	.592	1.110	<b>5301</b>
<b>Chevrolet/Geo</b>						
Belair, Biscayne	55-69	All	1 1/8 x 10	.592	1.110	<b>5301</b>
Beretta, Cadet, Corsica	87-96	All	1 x 14	.828	1.069	<b>5406</b>
Camaro	67-78	10 Spline	1 1/8 x 10	.592	1.110	<b>5301</b>
	70-77	6.5L, 6.6L, 7.5L	1 1/8 x 26	.592	1.066	<b>5313</b>
	71-81	5.7L, (10 Spline)	1 1/8 x 10	.592	1.110	<b>5301</b>
	71-81	5.7L, (26 Spline)	1 1/8 x 26	.592	1.066	<b>5313</b>
	79-92	5.0L	1 1/8 x 26	.592	1.066	<b>5313</b>
	82-84	2.5L, (10 Spline)	1 1/8 x 10	.592	1.110	<b>5301</b>
	82-86	2.5L, (14 Spline)	1 x 14	.828	1.069	<b>5406</b>
	82-84	2.8L, (4 Spd. Trans.)	1 1/8 x 10	.592	1.110	<b>5301</b>
	82-84	2.8L, (5 Spd. Trans.)	1 x 14	.592	1.089	<b>5312</b>
	85-92	2.8L, 3.1L	1 x 14	.828	1.069	<b>5406</b>
	93-95	3.4L	1 1/8 x 26	.592	1.066	<b>5313</b>
	93-99	5.7L	1 1/8 x 26	.592	1.066	<b>5313</b>
Caprice	65-73	All	1 1/8 x 10	.592	1.110	<b>5301</b>
Cavalier, Z24	82-99	All	1 x 14	.828	1.069	<b>5406</b>
Celebrity	84-86	2.5L	1 x 14	.592	1.089	<b>5312</b>
	87-89	2.8L	1 x 14	.828	1.069	<b>5406</b>
Chevelle	64-81	10 Spline	1 1/8 x 10	.592	1.110	<b>5301</b>
	70-74	5.7L, 6.5L, 6.6L, 7.4L	1 1/8 x 26	.592	1.066	<b>5313</b>
Chevette	76-87	Gas	1 x 14	.592	1.089	<b>5312</b>
	81-86	Diesel	1 x 24	.669	1.768	<b>5316</b>
Chevy II	63-79	All	1 1/8 x 10	.592	1.110	<b>5301</b>
Citation	80-81	2.5L	1 x 14	.592	1.089	<b>5312</b>
	80-85	2.8L	1 x 14	.828	1.069	<b>5406</b>
	82-85	2.5L	1 x 14	.828	1.069	<b>5406</b>
Corvette	57-72	All	1 1/8 x 10	.592	1.110	<b>5301</b>
	70-74	7.4L	1 1/8 x 26	.592	1.066	<b>5313</b>
	73-99	5.7L	1 1/8 x 26	.592	1.066	<b>5313</b>
Impala	63-72	10 Spline	1 1/8 x 10	.592	1.110	<b>5301</b>
	68-72	26 Spline	1 1/8 x 26	.592	1.066	<b>5313</b>
Lumina	91-93	All	1 1/32 x 23	.828	2.000	<b>5418</b>

Clutch Tools



# CLUTCH ALIGNMENT TOOLS

MAKE & MODEL	YEARS	DESCRIPTION	CLUTCH HUB DIA & SPLINE	PILOT BEARING/BUSHING DIAMETER	LENGTH	PART #
<b>Chevrolet/Geo (Continued)</b>						
Malibu	64-81	10 Spline	1 1/8 x 10	.592	1.110	5301
	70-74	26 Spline	1 1/8 x 26	.592	1.066	5313
Metro	89-99	1.0L, 1.3L	3/4 x 18	.392	.798	5386
Monte Carlo	70-74	26 Spline	1 1/8 x 26	.592	1.066	5313
	71-80	10 Spline	1 1/8 x 10	.592	1.110	5301
Monza	75-79	All	1 1/8 x 10	.592	1.110	5301
Nova	62-79	RWD	1 1/8 x 10	.592	1.110	5301
	85-89	FWD	15/16 x 21	.807	1.082	5383
Prizm	89-97	1.6L	15/16 x 21	.460	1.031	5306
	93-99	1.8L	15/16 x 21	.807	1.082	5383
Spectrum	85-89	All	1 x 14	.459	.878	5397
Sprint	85-88	All	3/4 x 18	.392	.798	5386
Storm	90-93	All	1 x 14	.459	.878	5397
Vega	71-72	140 CID	1 x 14	.592	1.089	5312
	73-77	140 CID	1 1/8 x 10	.592	1.110	5301
	74-76	122 CID	1 1/8 x 10	.592	1.110	5301

<b>Chevrolet/Geo SUV/Truck/Van</b>						
Astro	85-89	All	1 x 14	.828	1.069	5406
C, K, G, P, R, V, 10/15, 20/25, 30/35 Series	55-99	8 Cyl., (Exc. 6.6L)	1 1/8 x 10	.592	1.110	5301
	78-80	8 Cyl., 6.6L	1 1/8 x 26	.592	1.066	5313
El Camino	64-73	454 cu. in.	1 1/8 x 26	.592	1.066	5313
	67-81	Exc. 454 cu. in.	1 1/8 x 10	.592	1.110	5301
Luv	71-72	2WD	1 x 10	.670	1.600	5364
	73-82	2WD	1 x 24	.669	1.768	5316
	79-82	4WD	1 x 24	.669	1.768	5316
Medium Duty Truck	38-90	All	1 1/8 x 10	.592	1.110	5301
	65-98	All	1 1/2 x 10	.965	.914	5379
S10, Blazer	82-85	1.9L, 2.2L, Diesel	1 x 14	.670	1.125	5425
	83-93	2.0L, 2.5L, 2.8L	1 x 14	.592	1.089	5312
	90-99	4.3L	1 1/8 x 10	.592	1.110	5301
	94-99	2.2L	1 1/8 x 26	.592	1.066	5313
Tracker	89-99	All	7/8 x 20	.393	.801	5393

<b>Chrysler</b>						
Cirrus	97-99	All	7/8 x 17	.685	1.120	5414
Laser	84-87	All	7/8 x 18	.669	1.080	5363
LeBaron	82-90	All	7/8 x 18	.669	1.080	5363
	91-93	All	7/8 x 17	.685	1.120	5414

Clutch Tools



# CLUTCH ALIGNMENT TOOLS

MAKE & MODEL	YEARS	DESCRIPTION	CLUTCH HUB DIA & SPLINE	PILOT BEARING/BUSHING DIAMETER	LENGTH	PART #
<b>Chrysler (Continued)</b>						
Newport, New Yorker, Saratoga, Winsor, 300	46-60	All	1 x 10	.754	2.158	<b>5349</b>
	61-71	All	1 x 23	.754	2.139	<b>5309</b>
	67-68	All	1 3/16 x 18	.754	2.143	<b>5382</b>
TC by Maserati	89-91	All	7/8 x 18	.669	1.080	<b>5363</b>
<b>Chrysler SUV/Truck/Van</b>						
Town & Country	91-94	All	7/8 x 17	.685	1.120	<b>5414</b>
<b>Daihatsu</b>						
Charade	89-92	All	27/32 x 20	.396	.760	<b>5413</b>
<b>Daihatsu SUV/Truck/Van</b>						
Rocky	89-92	All	27/32 x 20	.472	1.022	<b>5402</b>
<b>Dodge</b>						
All Exc. Below	46-74	10 Spline	1 x 10	.754	2.158	<b>5349</b>
	46-74	18 Spline	1 3/16 x 18	.754	2.143	<b>5382</b>
	46-80	23 Spline	1 x 23	.754	2.139	<b>5309</b>
Aries, 400, 600	81-89	All	7/8 x 18	.669	1.080	<b>5363</b>
Avenger	95-99	All	7/8 x 17	.685	1.120	<b>5414</b>
Challenger	78-79	1.6L	7/8 x 20	.590	1.069	<b>5337</b>
	78-83	2.6L	1 x 23	.590	1.069	<b>5311</b>
Colt	70-94	Exc. Wagon	7/8 x 20	.590	1.069	<b>5337</b>
	78-80	Wagon	1 x 23	.590	1.069	<b>5311</b>
Colt Vista	84-94	2WD, 4WD	7/8 x 20	.590	1.069	<b>5337</b>
Conquest	84-90	All	1 x 23	.590	1.069	<b>5311</b>
Daytona, Shelby, IROC	84-90	2.2L	7/8 x 18	.669	1.080	<b>5363</b>
	86-90	2.5L	7/8 x 18	.669	1.080	<b>5363</b>
Lancer	85-89	2.2L, 2.5L	7/8 x 18	.669	1.080	<b>5363</b>
Neon	95-99	All	7/8 x 17	.685	1.120	<b>5414</b>
Omni, Charger, 024	78-90	Exc. 460 Trans.	7/8 x 18	.669	1.080	<b>5363</b>
	78-90	460 Trans.	13/16 x 24	.669	.705	<b>5378</b>
Rampage	82-84	2.2L	7/8 x 18	.669	1.080	<b>5363</b>
Shadow, Spirit	87-90	All	7/8 x 18	.669	1.080	<b>5363</b>
	91-94	All	7/8 x 17	.685	1.120	<b>5414</b>
Stealth	91-97	2WD	7/8 x 20	.590	1.069	<b>5337</b>
	91-97	4WD	1 x 23	.754	2.139	<b>5309</b>
Stratus	95-99	All	7/8 x 17	.685	1.120	<b>5414</b>



# CLUTCH ALIGNMENT TOOLS

MAKE & MODEL	YEARS	DESCRIPTION	CLUTCH HUB DIA & SPLINE	PILOT BEARING/BUSHING DIAMETER	LENGTH	PART #
<b>Dodge SUV/Truck/Van</b>						
100, 200, 300, 1500, 2500, 3500	60-91	All	1 x 10	.754	2.158	5349
	60-82	All	1 3/8 x 10	.970	2.050	5385
	94-97	All	1 1/4 x 10	.746	1.340	5412
B,D,W100-350, Ram 1500-3500	58-99	10 Spline	1 x 10	.754	2.158	5349
	58-99	19 Spline	1 x 19	.746	1.400	5419
	58-99	23 Spline	1 x 23	.754	2.139	5309
Caravan	84-90	All	7/8 x 18	.669	1.080	5363
	91-94	All	7/8 x 17	.685	1.120	5414
D50, Ram 50, Raider	79-89	20 Spline	7/8 x 20	.590	1.069	5337
	79-89	23 Spline	1 x 23	.590	1.069	5311
Dakota	87-91	All	1 x 23	.754	2.139	5309
	92-93	19 Spline	1 x 19	.746	1.400	5419
	92-93	23 Spline	1 x 23	.754	2.139	5309
	94-98	10 Spline	1 1/8 x 10	.755	.943	5374
Med., HD, (Exc. Cummins Diesel)	57-66	10 Spline	1 x 10	.754	2.158	5349
	60-91	23 Spline	1 x 23	.754	2.139	5309
	92-99	10 Spline	1 1/8 x 10	.755	.943	5374
	92-99	19 Spline	1 x 19	.746	1.400	5419
<b>Eagle</b>						
2000 GTX (Canada Only)	92-94	All	7/8 x 20	.590	1.069	5337
Medallion	87-89	All	15/16	.670	1.222	5346
Summit, Talon	89-96	All	7/8 x 20	.590	1.069	5337
Vista (Canada Only)	92-94	All	7/8 x 20	.590	1.069	5337
<b>Ferrari</b>						
All Models	74-89	Borg & Beck	1 1/4 x 10	.583	1.081	5352
<b>Fiat</b>						
124 Coupe, Sedan, Spider	74-89	All	7/8 x 20	.590	1.069	5337
128 Coupe	71-80	All	3/4 x 17	No Pilot	No Pilot	5324
131	75-78	All	7/8 x 20	.590	1.069	5337
850	64-74	All	21/32 x 20	.475	1.047	5345
Brava, Super Brava	79-81	All	7/8 x 20	.590	1.069	5337
Spider 2000	79-83	All	7/8 x 20	.590	1.069	5337
Strada	79-81	All	3/4 x 17	No Pilot	No Pilot	5324
X1/9, Bertone	72-88	All	3/4 x 17	No Pilot	No Pilot	5324

Clutch Tools



# CLUTCH ALIGNMENT TOOLS

MAKE & MODEL	YEARS	DESCRIPTION	CLUTCH HUB DIA & SPLINE	PILOT BEARING/BUSHING DIAMETER	LENGTH	PART #
<b>Ford</b>						
All Exc. Below	32-55	All	1 3/8 x 10	.670	1.123	5325
Aspire	94-97	All	3/4 x 18	.591	.816	5400
Contour	95-99	All	1 x 23	.590	1.069	5311
Cortina, Angila, Classic	62-70	English	7/8 x 20	.670	1.229	5358
Escort, EXP	81-99	1.6L, 1.8L Diesel, 1.9L	7/8 x 20	.590	1.069	5337
	91-99	1.8L, 2.0L	15/16 x 22	.591	1.082	5307
Fairlane, Falcon	58-70	See Hub Dia. & Spline	15/16 x 10	.629	1.233	5336
	58-70	See Hub Dia. & Spline	1 x 23	.670	1.122	5355
	58-70	See Hub Dia. & Spline	1 1/16 x 10	.672	1.113	5304
	58-70	See Hub Dia. & Spline	1 3/8 x 10	.670	1.123	5325
Fairmont	78-83	2.3L	1 x 23	.590	1.069	5311
	79-82	3.3L & 5.0L	1 1/16 x 10	.672	1.113	5304
Festiva	88-93	All	3/4 x 18	.591	.816	5400
Fiesta	77-80	All	3/4 x 17	.591	.851	5339
Galaxie	58-74	10 Spline	1 1/16 x 10	.672	1.113	5304
	58-74	23 Spline	1 x 23	.670	1.122	5355
Granada	75-79	4.1L & 5.0L	1 1/16 x 10	.672	1.113	5304
	81-83	2.3L	1 x 23	.590	1.069	5311
LTD	73-79	All	1 1/16 x 10	.672	1.113	5304
Maverick	69-77	All	1 1/16 x 10	.672	1.113	5304
Mustang (Exc. SVO & Turbo)	65-98	6 Cyl.	15/16 x 10	.629	1.233	5336
	65-98	6 Cyl., (Check Pilot Size)	1 1/16 x 10	.605	1.784	5341
	65-98	6 Cyl., (Check Pilot Size)	1 1/16 x 10	.672	1.113	5304
	66-99	8 Cyl.	1 1/16 x 10	.672	1.113	5304
	79-86	4 Cyl., (4 Spd. Trans.)	1 x 23	.590	1.069	5311
	79-94	4 Cyl., (5 Spd. Trans.)	1 1/16 x 10	.605	1.784	5341
Mustang (SVO & Turbo)	79-86	All	1 1/16 x 10	.605	1.784	5341
Pinto	71-80	20 Spline	7/8 x 20	.590	1.069	5337
	71-80	23 Spline	1 x 23	.590	1.069	5311
Probe	88-92	23 Spline	1 x 23	.591	1.837	5408
	89-94	22 Spline	15/16 x 22	.591	1.082	5307
Taurus, Tempo (Incl. Diesel)	86-97	All	7/8 x 20	.590	1.069	5337
Thunderbird	83-88	2.3L	1 1/16 x 10	.605	1.784	5341
	89-93	3.8L	7/8 x 20	.590	1.069	5337
Torino	67-74	All	1 1/16 x 10	.672	1.113	5304
<b>Ford SUV/Truck/Van</b>						
Aerostar	86-95	All	1 x 23	.590	1.069	5311
Bronco, Bronco II	66-96	All	1 1/16 x 10	.672	1.113	5304
	84-91	All	1 x 23	.590	1.069	5311



# CLUTCH ALIGNMENT TOOLS

MAKE & MODEL	YEARS	DESCRIPTION	CLUTCH HUB DIA & SPLINE	PILOT BEARING/BUSHING DIAMETER	LENGTH	PART #
--------------	-------	-------------	----------------------------	-----------------------------------	--------	--------

## Ford SUV/Truck/Van (Continued)

Courier Pickup	72-83	All	15/16 x 22	.591	1.082	5307
Explorer	91-99	All	1 x 23	.625 / .487	1.794	5331
Pickup, Van (E, F, & P Series), Medium Duty Trucks	32-99	See Hub Dia. & Pilot	1 3/8 x 10	.670	1.123	5325
	61-99	See Hub Dia. & Pilot	1 1/16 x 10	.672	1.113	5304
	65-94	See Hub Dia. & Pilot	1 3/8 x 10	.965	1.081	5328
	69-94	See Hub Dia. & Pilot	1 1/2 x 10	.965	.914	5379
	87-99	See Hub Dia. & Pilot	1 1/4 x 10	.672	1.105	5409
Ranchero	64-74	V8	1 1/16 x 10	.629	1.113	5336
Ranger	83-97	Exc. Diesel	7/8 x 20	.590	1.069	5337
	83-84	Diesel	15/16 x 22	.591	1.082	5307
	98-99	All	1 x 23	.625 / .487	1.794	5331

## Geo (See Chevrolet)

## GMC SUV/Truck/Van

K1500, K2500, K3500, Sierra, Suburban, Yukon	54-99	8 Cyl., (Exc. 6.6L)	1 1/8 x 10	.592	1.110	5301
	63-65	4 Cyl.	1 1/8 x 10	.592	1.110	5301
	63-99	6 Cyl.	1 1/8 x 10	.592	1.110	5301
	78-80	8 Cyl., 6.6L	1 1/8 x 26	.592	1.066	5313
Medium Duty Trucks	54-90	All	1 1/8 x 10	.592	1.110	5301
	56-97	All	1 1/2 x 10	.965	.914	5379
S15, Jimmy, Envoy, Sonoma, Syclone, Typhoon	82-85	1.9L, 2.2L, Diesel	1 x 14	.670	1.125	5425
	83-93	2.0L, 2.5L, 2.8L	1 x 14	.592	1.089	5312
	90-99	4.3L	1 1/8 x 10	.592	1.110	5301
	94-99	2.2L	1 1/8 x 26	.592	1.066	5313
Safari	82-99	All	1 x 14	.828	1.069	5406

## Hillman & Sunbeam

Alpine, Rapier	58-68	All	1 x 10	.620	1.095	5373
Minx, Super Minx	48-64	All	1 x 10	.620	1.095	5373

## Honda

Accord	76-78	1.6L	13/16 x 19	.591	.836	5308
	79-85	1.8L	27/32 x 21	.729	.916	5319
	86-89	2.0L	27/32 x 21	.729	.916	5319
	90-99	2.2L, 2.3L	1 1/32 x 24	.745	.925	5424
Civic del Sol	93-95	1.5L	7/8 x 20	.590	1.069	5337
	94-97	1.6L, DOHC	1 1/32 x 24	.590	.850	5417
	96-97	1.6L, SOHC	7/8 x 20	.590	1.069	5337

Clutch Tools



# CLUTCH ALIGNMENT TOOLS

MAKE & MODEL	YEARS	DESCRIPTION	CLUTCH HUB DIA & SPLINE	PILOT BEARING/BUSHING DIAMETER	LENGTH	PART #
--------------	-------	-------------	----------------------------	-----------------------------------	--------	--------

## Honda (Continued)

Civic, Hatchback, Sedan	73-87	All	13/16 x 19	.591	.836	<b>5308</b>
	1988	All	27/32 x 21	.591	.840	<b>5420</b>
	89-99	All	7/8 x 20	.590	1.069	<b>5337</b>
Civic Wagon	75-87	All	13/16 x 19	.591	.836	<b>5308</b>
	1988	2WD	27/32 x 21	.729	.916	<b>5319</b>
	1988	4WD, 7/8 Hub Dia.	7/8 x 21	.472	1.014	<b>5327</b>
	1988	4WD, 27/32 Hub Dia.	27/32 x 21	.591	.840	<b>5420</b>
CRX	89-91	4WD	7/8 x 20	.590	1.069	<b>5337</b>
	84-87	All	13/16 x 19	.591	.836	<b>5308</b>
	1988	All	27/32 x 21	.591	.840	<b>5420</b>
Prelude	89-91	All	7/8 x 20	.590	1.069	<b>5337</b>
	79-87	1.8L, 2.0L	27/32 x 21	.729	.916	<b>5319</b>
	88-89	2.0L, (Check Pilot Size)	1 x 24	.669	1.768	<b>5316</b>
	88-89	2.0L, (Check Pilot Size)	31/32 x 24	.750	.940	<b>5426</b>
90-99	2.0L	1 x 24	.687	.739	<b>5390</b>	

## Honda SUV/Truck/Van

Passport	93-98	All	1 x 24	.669	1.768	<b>5316</b>
----------	-------	-----	--------	------	-------	-------------

## Hyundai

Accent, Elantra	95-99	All	7/8 x 20	.590	1.069	<b>5337</b>
Excel, Scoupe	86-95	All	7/8 x 20	.590	1.069	<b>5337</b>
Pony	84-92	Canada	7/8 x 20	.590	1.069	<b>5337</b>
Sonata	89-99	All	7/8 x 20	.590	1.069	<b>5337</b>
Stellar	1986	Canada	7/8 x 20	.590	1.069	<b>5337</b>
	87-92	Canada	1 x 23	.590	1.069	<b>5311</b>
Tiburon	97-98	All	7/8 x 20	.590	1.069	<b>5337</b>

## Infiniti

G20	91-99	All	13/16 x 18	.574 / .460	1.636	<b>5305</b>
I30	95-99	All	1 x 24	.630	1.980	<b>5300</b>

## International SUV/Truck/Van

Scout, Scout II, All Trucks	50-83	15/16 Hub Dia.	15/16 x 10	.629	1.233	<b>5336</b>
	50-86	1 1/4 Hub, .965 Pilot	1 1/4 x 10	.965	1.103	<b>5334</b>
	50-97	1 1/4 Hub, .583 Pilot	1 1/4 x 10	.583	1.081	<b>5352</b>
	50-96	1 1/2 Hub Dia.	1 1/2 x 10	.965	.914	<b>5379</b>

Clutch Tools



# CLUTCH ALIGNMENT TOOLS

MAKE & MODEL	YEARS	DESCRIPTION	CLUTCH HUB DIA & SPLINE	PILOT BEARING/BUSHING DIAMETER	LENGTH	PART #
<b>Isuzu</b>						
I-Mark	81-84	1.8L, (Exc. Diesel)	1 x 24	.669	1.768	5316
	81-84	Diesel	7/8 x 20	.590	1.069	5337
	85-89	1.5L, 1.8L	1 x 14	.459	.878	5397
Impulse	83-89	2.0L, 2.3L	1 x 24	.669	1.768	5316
	90-92	All	1 x 14	.459	.878	5397
Stylus	90-93	All	1 x 14	.459	.878	5397
<b>Isuzu SUV/Truck/Van</b>						
Amigo	89-99	All	1 x 24	.669	1.768	5316
Medium Duty Trucks	84-88	All	1 1/2 x 10	.965	.914	5379
	85-86	All	1 x 24	.669	1.768	5316
Pickup, Hombre	81-95	All	1 x 24	.669	1.768	5316
	98-99	2.2L	1 1/8 x 26	.592	1.066	5313
	98-99	4.3L	1 1/8 x 10	.592	1.110	5301
Rodeo	91-92	14 Spline	1 x 14	.592	1.089	5312
	91-99	24 Spline	1 x 24	.669	1.768	5316
Trooper	84-99	Exc. 2.8L	1 x 24	.669	1.768	5316
	89-91	2.8L	1 x 24	.590	1.637	5322
<b>Jaguar</b>						
All Models (Exc. Canada)	48-79	6 & 12 Cyl.	1 1/8 x 10	.615 / .484	1.763	5344
XJRS, XJS	93-94	4.0L	1 x 23	.625 / .487	1.794	5331
<b>Jeep SUV/Truck/Van</b>						
Cherokee, Comanche, Gladiator, Commander, Grand Cherokee, Grand Wagoneer, Pickup, Wagoneer	41-72	10 Spl., 15/16 Hub Dia.	15/16 x 10	.629	1.233	5336
	55-58	14 Spl., 5.4L Eng.	1 x 14	.810	1.140	5406
	62-99	10 Spl., Pilot Dia. .623	1 1/8 x 10	.623	1.248	5365
	76-79	10 Spl., 1 1/16 Hub Dia.	1 1/16 x 10	.675	1.726	5375
	81-92	10 Spl., Pilot Dia. .592	1 1/8 x 10	.592	1.110	5301
	83-99	14 Spl., Pilot Dia. .592	1 x 14	.592	1.089	5312
	84-86	14 Spl., Diesel	1 x 14	.670	1.125	5425
<b>Jensen Healey</b>						
Healey, GT	72-76	2.0L	1 x 25	.582	1.068	5371
<b>Kia</b>						
Sephia	94-97	1.6L	7/8 x 20	.590	1.069	5337
	96-99	1.8L	15/16 x 22	.591	1.082	5307

Clutch Tools



# CLUTCH ALIGNMENT TOOLS

MAKE & MODEL	YEARS	DESCRIPTION	CLUTCH HUB DIA & SPLINE	PILOT BEARING/BUSHING DIAMETER	LENGTH	PART #
<b>Kia SUV/Truck/Van</b>						
Sportage	95-99	All	15/16 x 22	.591	1.082	5307
<b>Kubota Tractor</b>						
All Models	All	(Single/Double Plate)	1 x 10	.776	1.504	5384
<b>Lexus</b>						
ES250	89-91	2.5L	1 1/8 x 21	.472	.814	5303
ES300	92-94	3.0L	1 1/8 x 21	.472	.814	5303
SC300	91-97	3.0L	1 1/8 x 21	.472	.814	5303
<b>Lotus</b>						
Cortina	65-67	All	7/8 x 20	.670	1.229	5358
Elan	64-74	Twin Cam, (Early)	7/8 x 20	.670	1.229	5358
	64-74	Twin Cam, (Late)	15/16	.670	1.222	5346
Europa	71-75	Renault Engine	15/16	.670	1.222	5346
Elite, Esprit	74-80	2.0L	1 x 25	.582	1.068	5371
<b>Mazda</b>						
323	86-95	1.6L, (Exc. Turbo)	7/8 x 20	.256	.609	5333
	87-89	1.6L, (Turbo)	15/16 x 22	.591	1.082	5307
616, 618	71-73	1.6L, 1.8L	15/16 x 22	.591	1.082	5307
626, MX-6	79-99	Exc. 2.2L Turbo	15/16 x 22	.591	1.082	5307
	88-92	2.2L, (Turbo)	1 x 23	.590	1.069	5311
808	72-77	All	15/16 x 22	.591	1.082	5307
929	88-91	All	1 x 23	.590	1.069	5311
1200	69-72	All	7/8 x 20	.590	1.069	5337
1800	71-72	1.8L	15/16 x 22	.591	1.082	5307
Cosmo	75-78	All	15/16 x 22	.591	1.082	5307
GLC	77-85	All	7/8 x 20	.590	1.069	5337
Miata (MX-5)	89-97	All	15/16 x 22	.591	1.082	5307
Mizer	76-77	All	7/8 x 20	.590	1.069	5337
MX-3	92-95	1.6L	7/8 x 20	.590	1.069	5337
	92-95	1.8L	15/16 x 22	.591	1.082	5307
Protegé	90-95	2WD, (1.8L DOHC)	15/16 x 22	.591	1.082	5307
	90-95	2WD, (1.8L SOHC)	7/8 x 20	.590	1.069	5337
	90-91	AWD, 1.8L	15/16 x 22	.591	1.082	5307
	94-97	2WD, 1.5L	7/8 x 20	.590	1.069	5337
	96-99	2WD, 1.6L, 1.8L	7/8 x 20	.590	1.069	5337
RX-2	71-74	All	15/16 x 22	.591	1.082	5307



# CLUTCH ALIGNMENT TOOLS

MAKE & MODEL	YEARS	DESCRIPTION	CLUTCH HUB DIA & SPLINE	PILOT BEARING/BUSHING DIAMETER	LENGTH	PART #
<b>Mazda (Continued)</b>						
RX-3	72-78	All	15/16 x 22	.591	1.082	5307
RX-4	73-78	All	15/16 x 22	.591	1.082	5307
RX-7	78-92	Exc. Turbo	15/16 x 22	.591	1.082	5307
	86-96	Turbo	1 x 23	.591	1.837	5408
<b>Mazda SUV/Truck/Van</b>						
B2500, B2600, B3000, B4000	72-93	Gas	15/16 x 22	.591	1.082	5307
	74-76	1.3L, (Rotary)	15/16 x 22	.591	1.082	5307
	82-84	2.2L, (Diesel)	15/16 x 22	.591	1.082	5307
	94-99	Gas, (Exc. 4.0L)	1 x 23	.590	1.069	5311
	94-99	4.0L	1 x 23	.625 / .487	1.794	5331
MPV	89-91	2WD, 4WD	1 x 23	.590	1.069	5311
Navajo	91-94	All	1 x 23	.625 / .487	1.794	5331
<b>Mercedes</b>						
All Models	51-89	10 Spline	1 1/8 x 10	.592	1.110	5301
	83-93	26 Spline	1 1/8 x 26	.592	1.066	5313
<b>Mercury</b>						
Bobcat	74-80	All	1 x 23	.590	1.069	5311
Brougham, Caliente, Custom, Cyclone, Maurader, Montclair, Monterey, Parklane	61-71	8 Cyl.	1 x 23	.670	1.122	5355
	62-71	8 Cyl.	1 1/16 x 10	.672	1.113	5304
	1983	4 Cyl.	1 x 23	.590	1.069	5311
Capri	70-72	1.6L	7/8 x 20	.670	1.229	5358
	70-78	Exc. 1.6L, Check Pilot Size	1 x 23	.590	1.069	5311
	72-78	Exc. 1.6L, Check Pilot Size	1 x 23	.625 / .487	1.794	5331
	79-87	2.3L, (Exc. Warner Trans)	1 x 23	.590	1.069	5311
	79-82	3.3L	1 1/16 x 10	.672	1.113	5304
	79-85	5.0L	1 1/16 x 10	.672	1.113	5304
	91-94	1.6L, (Turbo)	15/16 x 22	.591	1.082	5307
Comet	1962	221, 260, 289	1 x 23	.670	1.122	5355
	63-79	All	1 1/16 x 10	.672	1.113	5304
	1966	170, 200	15/16 x 10	.629	1.233	5336
Cougar, Montego	67-73	4.7L, 5.0L	1 1/16 x 10	.672	1.113	5304
	80-83	5 Spd. Trans.	1 x 23	.590	1.069	5311
	80-83	Ford Trans.	1 1/16 x 10	.605	1.784	5341
	80-83	German Trans.	1 x 23	.590	1.069	5311
	84-88	2.3L	1 1/16 x 10	.605	1.784	5341
	1999	All	1 x 23	.590	1.069	5311
Lynx, LN7	81-87	All	7/8 x 20	.590	1.069	5337



# CLUTCH ALIGNMENT TOOLS

MAKE & MODEL	YEARS	DESCRIPTION	CLUTCH HUB DIA & SPLINE	PILOT BEARING/BUSHING DIAMETER	LENGTH	PART #
<b>Mercury (Continued)</b>						
Merkur Scorpio	88-90	All	1 x 23	.590	1.069	5311
Merkur XR4Ti	85-89	All	1 x 23	.591	1.837	5408
Monarch	75-79	4.1L, 5.0L	1 1/16 x 10	.672	1.113	5304
	80-83	2.3L	1 x 23	.590	1.069	5311
Mystique	95-99	All	1 x 23	.590	1.069	5311
Sable, Topaz	86-97	All	7/8 x 20	.590	1.069	5337
Tracer	87-89	1.6L	7/8 x 20	.256	.609	5333
	91-99	1.8L, 2.0L	15/16 x 22	.591	1.082	5307
	91-99	1.9L	7/8 x 20	.590	1.069	5337
Zephyr	79-83	2.3L	1 x 23	.590	1.069	5311
	78-81	3.3L, 5.0L	1 1/16 x 10	.672	1.113	5304
<b>Mercury SUV/Truck/Van</b>						
Mountaineer	97-99	All	1 x 23	.625 / .487	1.794	5331
<b>MG</b>						
MGA	59-61	Exc. Diaphragm Style	1 x 10	.696 / .609	2.119	5350
	61-62	Diaphragm Style	1 x 23	.700 / .621	2.092	5348
MGB	60-63	3 Main Bearing Eng.	1 x 23	.700 / .621	2.092	5348
	64-80	5 Main Bearing Eng.	1 x 23	.858	2.000	5315
MGC	68-69	All	1 x 23	.858	2.000	5315
Midget Mk I, II, III	61-74	All	7/8 x 10	.504	1.777	5330
Midget 1500	75-80	All	7/8 x 20	.500	1.809	5323
TC, TD, TF	All	All	1 x 10	.670	1.600	5364
<b>Mitsubishi</b>						
3000GT	90-99	2WD	7/8 x 20	.590	1.069	5337
	90-99	AWD	1 3/16 x 14	.670	1.221	5401
Cordia, Tredia	83-88	All	7/8 x 20	.590	1.069	5337
Eclipse	89-99	All	7/8 x 20	.590	1.069	5337
Galant (Incl. Sigma)	88-99	All	7/8 x 20	.590	1.069	5337
Mirage	85-99	All	7/8 x 20	.590	1.069	5337
Precis	87-93	All	7/8 x 20	.590	1.069	5337
Starion	83-89	All	1 x 23	.590	1.069	5311
<b>Mitsubishi SUV/Truck/Van</b>						
Expo	92-96	All	7/8 x 20	.590	1.069	5337
Fuso (Medium Duty Trucks)	86-91	All	1 1/8 x 14	.620	1.221	5401
Montero, Montero Sport	83-89	2.6L	1 x 23	.590	1.069	5311
	88-99	3.0L	1 3/16 x 14	.670	1.221	5401



# CLUTCH ALIGNMENT TOOLS

MAKE & MODEL	YEARS	DESCRIPTION	CLUTCH HUB DIA & SPLINE	PILOT BEARING/BUSHING DIAMETER	LENGTH	PART #
--------------	-------	-------------	----------------------------	-----------------------------------	--------	--------

## Mitsubishi SUV/Truck/Van (Continued)

Pickup	83-96	2.0L, 2.4L, 2.6L, (Gas)	1 x 23	.590	1.069	5311
	83-86	2.4L, (Diesel)	1 x 23	.590	1.069	5311
	90-95	3.0L	1 3/16 x 14	.670	1.221	5401

## Nissan/Datsun

200SX	84-88	All	1 x 24	.630	1.980	5300
	91-98	2.0L	13/16 x 18	.630	1.140	5427
	95-97	1.6L	13/16 x 18	-	-	5391
210	78-82	All	13/16 x 18	.574 / .460	1.636	5305
240SX	89-99	All	1 x 24	.630	1.980	5300
240Z, 260Z, 280Z, 280ZX, 300ZX	70-96	All	1 x 24	.630	1.980	5300
310, F10	76-78	All	1 x 24	.630	1.980	5300
	79-81	All	1 x 24	.630	1.980	5300
	1982	All	13/16 x 18	.574 / .460	1.636	5305
411	1965	1.3L	7/8 x 20	.705 / .625	2.107	5360
	65-68	1.6L	1 x 24	-	-	5350
510, 610, 710, 810	68-82	All	1 x 24	.630	1.980	5300
Altima	93-99	All	1 x 24	.630	1.980	5300
B110, B210	70-78	4 Spd.	13/16 x 18	.574 / .460	1.636	5305
	74-78	5 Spd.	1 x 24	.590	1.637	5322
Maxima	81-99	All	1 x 24	.630	1.980	5300
NX1600	91-94	All	13/16 x 18	-	-	5391
NX2000	91-94	All	13/16 x 18	.630	1.140	5427
PL 312, PL 410	All	1300cc	7/8 x 20	.705 / .625	2.107	5360
Pulsar	82-90	SOHC, (Exc. Turbo)	13/16 x 18	.574 / .460	1.636	5305
	1987	DOHC, (Exc. Turbo)	13/16 x 18	.630	1.140	5427
	88-90	DOHC, (Exc. Turbo)	1 x 24	.630	1.980	5300
	82-85	Turbo	13/16 x 18	.574 / .460	1.636	5305
Roadster	65-71	All	1 x 24	.630	1.980	5300
Sentra	82-90	All, (Exc. Diesel)	13/16 x 18	.574 / .460	1.636	5305
	83-87	Diesel	13/16 x 18	.630	1.140	5427
	91-99	1.6L	13/16 x 18	.574 / .460	1.636	5305
	91-99	2.0L	13/16 x 18	.630	1.140	5427
Stanza	81-86	All	13/16 x 18	.630	1.140	5427
	86-92	All	1 x 24	.630	1.980	5300
Stanza Wagon	86-88	All	1 x 24	.630	1.980	5300

## Nissan/Datsun SUV/Truck/Van

All (Exc. 520, Patrol)	67-99	All	1 x 24	.630	1.980	5300
520	65-66	1.3L	7/8 x 20	.705 / .625	2.107	5360
Patrol	64-69	All	1 3/8 x 10	.744	.954	5362

Clutch Tools



# CLUTCH ALIGNMENT TOOLS

MAKE & MODEL	YEARS	DESCRIPTION	CLUTCH HUB DIA & SPLINE	PILOT BEARING/BUSHING DIAMETER	LENGTH	PART #
<b>Oldsmobile</b>						
<b>All (Exc. Below)</b>	65-81	Exc. 5.7L, 4 Spd.	1 1/8 x 10	.592	1.110	<b>5301</b>
	68-81	5.7L, 4 Spd.	1 1/8 x 26	.592	1.066	<b>5313</b>
<b>Achieva</b>	92-98	All	1 x 14	.828	1.069	<b>5406</b>
<b>Calais</b>	85-91	All	1 x 14	.828	1.069	<b>5406</b>
<b>Ciera</b>	84-90	Exc. 3.4L	1 x 14	.828	1.069	<b>5406</b>
	91-93	3.4L	1 1/32 x 23	.828	2.000	<b>5418</b>
<b>Cutlass</b>	71-81	RWD, (Exc. 5.7L, 4 Spd.)	1 1/8 x 10	.592	1.110	<b>5301</b>
	71-81	RWD, 5.7L, 4 Spd.	1 1/8 x 26	.592	1.066	<b>5313</b>
	84-91	FWD, (Exc. 1984 2.5L )	1 x 14	.828	1.069	<b>5406</b>
	1984	FWD, 2.5L	1 x 14	.592	1.089	<b>5312</b>
<b>Firenza</b>	82-86	1.8L	1 x 14	.828	1.069	<b>5406</b>
	83-89	2.0L, (Exc. 85-87 4 Spd.)	1 x 14	.828	1.069	<b>5406</b>
	85-87	2.0L, 4 Spd.	1 x 14	.592	1.089	<b>5312</b>
	85-86	2.8L	1 x 14	.592	1.089	<b>5312</b>
	1987	2.8L	1 x 14	.828	1.069	<b>5406</b>
<b>Omega</b>	80-84	2.5L, 2.8L	1 x 14	.592	1.089	<b>5312</b>
	77-79	3.8L, 5.0L	1 1/8 x 10	.592	1.110	<b>5301</b>
<b>Starfire</b>	77-80	All	1 1/8 x 10	.592	1.110	<b>5301</b>
<b>Oldsmobile SUV/Truck/Van</b>						
<b>Bravada</b>	91-93	4.3L	1 1/8 x 10	.592	1.110	<b>5301</b>
	91-99	2.0L, 2.5L, 2.8L	1 x 14	.592	1.089	<b>5312</b>
	94-99	2.2L	1 1/8 x 26	.592	1.066	<b>5313</b>
<b>Opel</b>						
<b>GT, Kadett</b>	63-71	1100cc	3/4 x 14	.465	1.015	<b>5377</b>
	71-75	1500cc, 1900cc	1 x 14	.592	1.089	<b>5312</b>
<b>Manta, 1900</b>	71-75	All	1 x 14	.592	1.089	<b>5312</b>
<b>Peugeot</b>						
<b>404</b>	68-70	1.6L	1 5/32 x 10	.625	1.585	<b>5359</b>
<b>504</b>	69-79	Gas	1 5/32 x 10	.625	1.585	<b>5359</b>
	74-82	Diesel	1 3/32 x 10	.631	1.600	<b>5356</b>
<b>505</b>	80-89	2.0L, (Exc. Turbo, Gas)	1 5/32 x 10	.625	1.585	<b>5359</b>
	80-83	2.3L	1 3/32 x 10	.631	1.600	<b>5356</b>
	82-88	Turbo	1 3/32 x 10	.631	1.600	<b>5356</b>
	85-89	2.2L, (Turbo, Diesel)	1 3/32 x 10	.631	1.600	<b>5356</b>
	87-89	2.8L, (Exc. Turbo, Gas)	1 5/32 x 10	.625	1.585	<b>5359</b>
<b>604</b>	77-84	All	1 3/32 x 10	.631	1.600	<b>5356</b>



# CLUTCH ALIGNMENT TOOLS

MAKE & MODEL	YEARS	DESCRIPTION	CLUTCH HUB DIA & SPLINE	PILOT BEARING/BUSHING DIAMETER	LENGTH	PART #
<b>Plymouth</b>						
Acclaim	89-93	17 Spline	7/8 x 17	.685	1.120	5414
	89-93	18 Spline	7/8 x 18	.669	1.080	5363
Arrow	76-80	1.6L	7/8 x 20	.590	1.069	5337
	76-78	2.0L	7/8 x 18	.669	1.080	5363
	79-80	2.6L	1 x 23	.590	1.069	5311
Barracuda, Cuda	60-75	18 Spline	1 3/16 x 18	.754	2.143	5382
	60-75	23 Spline	1 x 23	.754	2.139	5309
Breeze	96-99	All	7/8 x 17	.685	1.120	5414
Champ	79-82	All	7/8 x 20	.590	1.069	5337
Conquest	84-86	All	1 x 23	.590	1.069	5311
Fury, Belvedere, GT, GTX, Road Runner, Satellite, Savoy	60-74	18 Spline	1 3/16 x 18	.754	2.143	5382
	60-74	23 Spline	1 x 23	.754	2.139	5309
Horizon, Duster, TC3, Turismo	78-90	Exc. VW Trans.	7/8 x 18	.669	1.080	5363
	78-83	VW Trans.	13/16 x 24	.669	.705	5378
Laser	89-94	All	7/8 x 20	.590	1.069	5337
Neon	95-99	All	7/8 x 17	.685	1.120	5414
Reliant	81-89	All	7/8 x 18	.669	1.080	5363
Sapporo	78-83	20 Spline	7/8 x 20	.590	1.069	5337
	78-83	23 Spline	1 x 23	.590	1.069	5311
Scamp	82-83	All	7/8 x 18	.669	1.080	5363
Sundance	87-94	17 Spline	7/8 x 17	.685	1.120	5414
	87-94	18 Spline	7/8 x 18	.669	1.080	5363
Valiant, Volare, Duster	60-80	All	1 x 23	.754	2.139	5309

## Plymouth SUV/Truck/Van

Arrow	79-86	20 Spline	7/8 x 20	.590	1.069	5337
	79-86	23 Spline	1 x 23	.590	1.069	5311
Trail Duster	74-87	10 Spline	1 x 10	.754	2.158	5349
	74-87	23 Spline	1 x 23	.754	2.139	5309
Voyager	84-90	All	7/8 x 18	.669	1.080	5363
	91-94	All	7/8 x 17	.685	1.120	5414

## Pontiac

All Exc. Below	66-81	RWD	1 1/8 x 10	.592	1.110	5301
	71-81	RWD	1 1/8 x 26	.592	1.066	5313
6000	84-88	2.8L	1 x 14	.828	1.069	5406
Astre	75-80	All	1 1/8 x 10	.592	1.110	5301
Bonneville, Catalina, Chieftain, Executive	57-76	All	1 1/8 x 10	.592	1.110	5301

Clutch Tools



# CLUTCH ALIGNMENT TOOLS

MAKE & MODEL	YEARS	DESCRIPTION	CLUTCH HUB DIA & SPLINE	PILOT BEARING/BUSHING DIAMETER	LENGTH	PART #
<b>Pontiac (Continued)</b>						
<b>Fiero</b>	1984	2.5L	1 x 14	.592	1.089	<b>5312</b>
	85-88	2.5L	1 x 14	.828	1.069	<b>5406</b>
	85-88	2.8L, 4 Spd.	1 x 14	.592	1.089	<b>5312</b>
	85-88	2.8L, 5 Spd.	1 x 14	.828	1.069	<b>5406</b>
<b>Firebird, GTO, Trans Am</b>	67-84	10 Spline	1 1/8 x 10	.592	1.110	<b>5301</b>
	68-99	26 Spline	1 1/8 x 26	.592	1.066	<b>5313</b>
	83-92	14 Spline, (9 1/8 Disc)	1 x 14	.592	1.089	<b>5312</b>
	87-92	14 Spline, (8 1/2 Disc)	1 x 14	.828	1.069	<b>5406</b>
<b>Grand Am, Grandville</b>	70-80	V-8, (10 Splines)	1 1/8 x 10	.592	1.110	<b>5301</b>
	70-80	V-8, (26 Splines)	1 1/8 x 26	.592	1.066	<b>5313</b>
	88-98	2.0L, 2.3L & 2.5L	1 x 14	.828	1.069	<b>5406</b>
<b>Grand Prix</b>	88-93	2.8L, 3.1L	1 x 14	.828	1.069	<b>5406</b>
	91-93	3.4L	1 1/32 x 23	.828	2.000	<b>5418</b>
	66-67	3.8L	1 1/8 x 10	.592	1.110	<b>5301</b>
<b>LeMans</b>	61-77	10 Spline	1 1/8 x 10	.592	1.110	<b>5301</b>
	1988	F13 Transaxle	3/4 x 14	.465	1.015	<b>5317</b>
<b>Tempest, T37, Ventura</b>	All	10 Spline	1 1/8 x 10	.592	1.110	<b>5301</b>
	All	14 Spl., 8 1/2 Disc Dia.	1 x 14	.828	1.069	<b>5406</b>
	All	14 Spl., 9 1/8 Disc Dia.	1 x 14	.592	1.089	<b>5312</b>
<b>Phoenix</b>	78-79	3.8L, 5.0L	1 1/8 x 10	.592	1.110	<b>5301</b>
	80-85	2.5L, 2.8L	1 x 14	.592	1.089	<b>5312</b>
<b>Sunbird, Sunfire, J2000</b>	76-80	3.8L, 5.0L	1 1/8 x 10	.592	1.110	<b>5301</b>
	82-94	1.8L, 2.0L, 3.1L	1 x 14	.828	1.069	<b>5406</b>
<b>T1000</b>	81-87	Gas	1 x 14	.592	1.089	<b>5312</b>
	83-86	Diesel	1 x 24	.669	1.768	<b>5316</b>

## Porsche

<b>356, A, B, C</b>	50-63	All	13/16 x 24	.591	1.085	<b>5302</b>
	64-65	1.6L	13/16 x 24	.587	1.800	<b>5335</b>
<b>911</b>	65-69	All	13/16 x 24	.591	1.085	<b>5302</b>
	70-71	2.2L	13/16 x 24	.591	1.085	<b>5302</b>
	72-86	All	7/8 x 20	.590	1.069	<b>5337</b>
	87-97	All	1 x 23	.590	1.069	<b>5311</b>
<b>912, 914</b>	65-76	All	13/16 x 24	.587	1.800	<b>5335</b>
<b>924, 924S</b>	76-82	2.0L, (Exc. Turbo)	13/16 x 24	.591	1.085	<b>5302</b>
	80-82	2.0L, (Turbo)	1 x 23	.590	1.069	<b>5311</b>
	86-88	2.5L	1 x 23	.590	1.069	<b>5311</b>
<b>928</b>	77-91	All	1 x 23	.590	1.069	<b>5311</b>
<b>930 Turbo</b>	75-77	All	1 x 23	.590	1.069	<b>5311</b>
<b>944, 944S, 968</b>	81-91	All	1 x 23	.590	1.069	<b>5311</b>



# CLUTCH ALIGNMENT TOOLS

MAKE & MODEL	YEARS	DESCRIPTION	CLUTCH HUB DIA & SPLINE	PILOT BEARING/BUSHING DIAMETER	LENGTH	PART #
<b>Renault</b>						
Alliance, Encore, GTA	83-88	All	13/16 x 26	.625	1.255	<b>5388</b>
Fuego	82-87	All	15/16 x 21	.670	1.222	<b>5346</b>
R5, LeCar	76-83	All	21/32 x 20	.475	1.047	<b>5345</b>
R8, R10, R12, R15, R16, R17, R18i	63-71	All	21/32 x 20	.475	1.047	<b>5345</b>
	72-86	All	15/16 x 21	.670	1.222	<b>5346</b>
<b>Rover SUV/Truck/Van</b>						
2000, 2000TC	66-72	All	1 x 10	.742	.940	<b>5366</b>
3500	80-83	All	1 x 23	.625 / .487	1.806	<b>5331</b>
Land Rover, Range Rover	70-83	Gas & Diesel	1 1/8 x 10	.864	1.185	<b>5354</b>
<b>Saab</b>						
93, 95, 96, Sonnet	60-74	All	7/8 x 10	.582	1.057	<b>5361</b>
	60-74	All	3/4 x 17	No Pilot	No Pilot	<b>5324</b>
99	69-80	All	3/4 x 17	No Pilot	No Pilot	<b>5324</b>
900	94-98	Exc. S, Turbo	1 x 14	.828	1.069	<b>5406</b>
	79-93	S, Turbo	3/4 x 17	No Pilot	No Pilot	<b>5324</b>
9000	94-98	14 Spline	1 x 14	.828	1.069	<b>5406</b>
	86-91	17 Spline	3/4 x 17	.591	.851	<b>5339</b>
9-3	98-99	All	3/4 x 17	No Pilot	No Pilot	<b>5324</b>
9-5	98-99	All	3/4 x 17	No Pilot	No Pilot	<b>5324</b>
<b>Saturn</b>						
SC, SL, SW	91-99	1.9L	7/8 x 22	No Pilot	No Pilot	<b>5407</b>
<b>Sterling</b>						
825, 827	87-91	2.5L, 2.7L	1 x 24	.687	.739	<b>5390</b>
<b>Studebaker</b>						
All Models	55-64	All	1 1/8 x 10	.755	.943	<b>5374</b>
<b>Studebaker SUV/Truck/Van</b>						
All Models	62-64	Diesel	1 1/2 x 10	.965	.914	<b>5379</b>
	62-64	Diesel	1 x 10	.755	1.681	<b>5376</b>
<b>Subaru</b>						
1100, 1300, 1400	69-76	All	3/4 x 23	.472	1.004	<b>5321</b>
Impreza (Incl. Outback)	93-95	2WD	7/8 x 21	.472	1.014	<b>5327</b>
	93-95	4WD	1 x 24	.590	1.637	<b>5322</b>
	96-99	All	1 x 24	.590	1.637	<b>5322</b>



# CLUTCH ALIGNMENT TOOLS

MAKE & MODEL	YEARS	DESCRIPTION	CLUTCH HUB DIA & SPLINE	PILOT BEARING/BUSHING DIAMETER	LENGTH	PART #
<b>Subaru (Continued)</b>						
Justy	87-94	All	23/32 x 23	.390	.641	5392
Legacy (Incl. Outback)	89-99	All	1 x 24	.590	1.637	5322
Loyale (Incl. Turbo)	85-94	All	1 x 24	.590	1.637	5322
Sedan, Hatchback, Wagon	76-80	1600	3/4 x 23	.472	1.004	5321
	76-80	1800	3/4 x 23	.574 / .457	1.633	5329
	81-89	1600	1 x 24	.590	1.637	5322
	81-89	1800	7/8 x 21	.472	1.014	5327
XT (2WD)	85-91	All	7/8 x 21	.472	1.014	5327
XT (AWD), XT6	86-92	All	1 x 24	.590	1.637	5322
<b>Subaru SUV/Truck/Van</b>						
Brat	77-80	All	3/4 x 23	.472	1.004	5321
	81-88	All	1 x 24	.590	1.637	5322
Forester	97-99	All	1 x 24	.590	1.637	5322
<b>Suzuki</b>						
Esteem	95-99	All	3/4 x 18	.392	.798	5386
Forsa (Canada Only)	85-93	All	7/8 x 20	.393	.801	5393
Swift	88-99	All	3/4 x 18	.392	.798	5386
<b>Suzuki SUV/Truck/Van</b>						
Samurai	84-95	All	7/8 x 20	.393	.801	5393
Sidekick	88-98	All	1 x 24	.590	1.637	5322
<b>Toyota</b>						
Camry, Solara	83-99	4 Cyl., 2WD	1 1/16 x 20	1.181	1.381	5394
	88-91	4 Cyl., 4WD	1 1/8 x 21	1.181	1.362	5395
	88-99	6 Cyl.	1 1/8 x 21	1.181	1.362	5395
Carina	71-73	1.6L	15/16 x 21	.460	1.031	5306
Celica	1971	1.9L	15/16 x 21	.460	1.031	5306
	72-77	All	1 1/8 x 21	.472	.814	5303
	78-80	2.2L	1 1/8 x 21	.472	.814	5303
	81-85	2.4L	1 1/8 x 21	.472	.814	5303
	86-89	2.0L, (2WD)	1 1/16 x 20	1.181	1.381	5394
	88-93	2.0L, (AWD, Turbo)	1 1/8 x 21	1.181	1.362	5395
	90-99	2.2L	1 1/16 x 20	1.181	1.381	5394
	90-5/91	1.6L	1 1/8 x 21	1.181	1.362	5395
	6/91-93	1.6L	15/16 x 21	.807	1.082	5383
94-98	1.8L	15/16 x 21	.807	1.082	5383	



# CLUTCH ALIGNMENT TOOLS

MAKE & MODEL	YEARS	DESCRIPTION	CLUTCH HUB DIA & SPLINE	PILOT BEARING/BUSHING DIAMETER	LENGTH	PART #
<b>Toyota (Continued)</b>						
<b>Corolla</b>	68-70	1100cc KC, 3KC	3/4 x 16	.472	1.021	<b>5340</b>
	70-79	1.2L, (RWD)	3/4 x 19	.472	.981	<b>5314</b>
	71-87	1.6L, (RWD)	15/16 x 21	.460	1.031	<b>5306</b>
	80-82	1.8L, (2 Dr., 4 Spd.)	15/16 x 21	.807	1.082	<b>5383</b>
	80-82	1.8L, (4 Dr., 4 Spd., 5 Spd.)	15/16 x 21	.460	1.031	<b>5306</b>
	84-97	1.6L, (FWD)	15/16 x 21	.807	1.082	<b>5383</b>
	87-89	FX, FX16	15/16 x 21	.807	1.082	<b>5383</b>
	93-99	1.8L	1 1/8 x 21	1.181	1.362	<b>5395</b>
<b>Corona</b>	65-71	All	15/16 x 21	.460	1.031	<b>5306</b>
	72-82	All	1 1/8 x 21	.472	.814	<b>5303</b>
<b>Cressida</b>	83-87	All	1 1/8 x 21	.472	.814	<b>5303</b>
<b>MR2</b>	85-5/85	All	15/16 x 21	.460	1.031	<b>5306</b>
	6/85-89	Exc. Supercharged	1 1/8 x 21	1.181	1.362	<b>5395</b>
	88-89	Supercharged	1 1/8 x 21	1.181	1.425	<b>5398</b>
	90-95	Exc. Turbo	1 1/16 x 20	1.181	1.381	<b>5394</b>
	90-95	Turbo	1 1/8 x 21	1.181	1.425	<b>5398</b>
<b>Paseo</b>	92-99	1.5L	15/16 x 21	.460	1.031	<b>5306</b>
<b>Starlet</b>	80-84	1.3L	3/4 x 19	.472	.981	<b>5314</b>
<b>Supra</b>	79-97	All	1 1/8 x 21	.472	.814	<b>5303</b>
<b>Tercel</b>	80-99	Exc. 1.5L, (EZ) 4 Spd.	15/16 x 21	.460	1.031	<b>5306</b>
	87-88	1.5L, (EZ) 4 Spd.	1 1/16 x 20	1.181	1.381	<b>5394</b>

## Toyota SUV/Truck/Van

<b>4 Runner</b>	85-99	All	1 1/8 x 21	.472	.814	<b>5303</b>
<b>Land Cruiser</b>	75-87	All	1 3/32 x 10	.591	1.080	<b>5326</b>
<b>Pickup</b>	64-71	All	15/16 x 21	.460	1.031	<b>5306</b>
	72-95	All	1 1/8 x 21	.472	.814	<b>5303</b>
<b>Previa</b>	84-94	All	1 1/8 x 21	.472	.814	<b>5303</b>
<b>RAV4</b>	96-99	All	1 1/8 x 21	1.181	1.362	<b>5395</b>
<b>T100</b>	93-98	All	1 1/8 x 21	.472	.814	<b>5303</b>
<b>Tacoma</b>	95-99	All	1 1/8 x 21	.472	.814	<b>5303</b>

## Triumph

<b>GT6, Vitesse, 2000</b>	63-73	All	1 x 10	.500	1.834	<b>5368</b>
<b>Spitfire Mk I, II, III, IV, Herald</b>	61-74	All	7/8 x 10	.504	1.777	<b>5330</b>
<b>Spitfire 1500</b>	75-80	All	7/8 x 20	.500	1.809	<b>5323</b>
<b>TR2, TR3, TR4, TR4A, TR6, TR250, Stag</b>	52-74	All	1 1/4 x 10	.500	1.382	<b>5318</b>
<b>TR7, TR8, Tuscan, 3000M</b>	75-82	All	1 x 23	.625 / .487	1.806	<b>5331</b>



# CLUTCH ALIGNMENT TOOLS

MAKE & MODEL	YEARS	DESCRIPTION	CLUTCH HUB DIA & SPLINE	PILOT BEARING/BUSHING DIAMETER	LENGTH	PART #
<b>Trucks (Medium &amp; Heavy Duty)</b>						



**5381-K**



**5334-K**

① **Note:** Large H.D. truck tools 12 to 13 inch long. (Also available in bulk)

<b>1 x 14 Spline</b>	All	.592 (15mm) Pilot	1 x 14	.592	1.068	<b>5405</b>
<b>1 1/4 x 10 Spline</b>	All	.670 (17mm) Pilot	1 1/4 x 10	.670	1.105	<b>5409</b>
<b>1 1/4 x 10 Spline</b>	All	.965 (25mm) Pilot	1 1/4 x 10	.965	1.103	<b>5334</b>
<b>1 3/8 x 10 Spline</b>	All	.965 (25mm) Pilot	1 3/8 x 10	.965	1.081	<b>5328</b>
<b>1 1/2 x 10 Spline</b>	All	.965 (25mm) Pilot	1 1/2 x 10	.965	.914	<b>5379</b> ①
<b>1 3/4 x 10 Spline</b>	All	.965 (25mm) Pilot	1 3/4 x 10	.965	.720	<b>5410</b> ①
<b>1 3/4 x 10 Spline</b>	All	.984 (25mm) Pilot	1 3/4 x 10	.984	1.222	<b>5411</b> ①
<b>1 3/4 x 10 Spline</b>	All	1.162 (30mm) Pilot	1 3/4 x 10	1.162	.795	<b>5380</b> ①
<b>2 x 10 Spline</b>	All	1.162 (30mm) Pilot	2 x 10	1.162	.793	<b>5381</b> ①

① **Note:** Large H.D. truck tools 12 to 13 inch long.

## Volkswagen



**5302-K**



**5403-K**



**5415-K**

① **Note:** Round plate type clutch tool. (Also available in bulk)

<b>Beetle (New)</b>	98-99	Gas	13/16 x 24	.782	1.070	<b>5403</b> ①
<b>Beetle, Ghia</b>	49-79	Standard Trans.	13/16 x 24	.591	1.085	<b>5302</b>
	68-79	Auto Stick Trans.	13/16 x 21	.466	.894	<b>5367</b>
<b>Cabriolet, Cabrio</b>	85-98	All	13/16 x 24	.669	.705	<b>5378</b> ①
<b>Corrado, Passat</b>	89-95	All	7/8 x 28	No Pilot	No Pilot	<b>5415</b>

① **Note:** Round plate type clutch tool.



# CLUTCH ALIGNMENT TOOLS

MAKE & MODEL	YEARS	DESCRIPTION	CLUTCH HUB DIA & SPLINE	PILOT BEARING/BUSHING DIAMETER	LENGTH	PART #
<b>Volkswagen (Continued)</b>						
Dasher	73-81	Incl. Diesel	13/16 x 24	.591	1.085	5302
Fox	87-93	All	13/16 x 24	.591	1.085	5302
Golf	85-95	8 Valve, (Incl. Diesel)	7/8 x 28	.669	.705	5378 ①
	86-99	16 Valve, 6 Cyl.	13/16 x 24	.782	1.070	5403 ①
Jetta	80-97	8 Valve	7/8 x 28	.669	.705	5378 ①
	87-99	16 Valve, 6 Cyl.	13/16 x 24	.782	1.070	5403 ①
Quantum, Quantum Synchro	82-85	4 Cyl.	13/16 x 24	.591	1.085	5302
	83-88	5 Cyl.	13/16 x 24	.709	.847	5351
Rabbit (Incl. Pickup)	74-84	All	7/8 x 28	.669	.705	5378 ①
Scirocco	74-89	8 Valve	7/8 x 28	.669	.705	5378 ①
	86-89	16 Valve	13/16 x 24	.782	1.070	5403 ①
Type III, Fastback, Squareback,	62-73	1.5L, 1.6L	13/16 x 24	.591	1.085	5302
	71-74	1.8L	13/16 x 24	.587	1.800	5335
Type IV, 411, 412	71-74	All	13/16 x 24	.587	1.800	5335


① Note: Round plate type clutch tool.

<b>Volkswagen SUV/Truck/Van</b>						
Transporter, Type II	55-71	All	13/16 x 24	.591	1.085	5302
	72-79	All	13/16 x 24	.587	1.800	5335
Vanagon	80-92	Exc. Diesel	13/16 x 24	.587	1.800	5335
	82-84	Diesel	13/16 x 24	.591	1.085	5302

<b>Volvo</b>						
122, 140 Series, P1800	62-74	All	1 x 10	.591	1.384	5320
164 Series	69-74	All	1 1/8 x 10	.592	1.110	5301
240, 260, 740, 760 Series	75-78	All	1 x 10	.591	1.384	5320
	79-93	All	15/16 x 22	.591	1.082	5307
850 Series	93-97	All	7/8 x 20	.590	1.069	5337
940 Series	91-93	All	15/16 x 22	.591	1.082	5307

<b>Winnebago</b>						
Renault Chassis	83-86	All	15/16 x 21	.670	1.222	5346

<b>Yugo</b>						
GV, GVL	86-91	All	3/4 x 17	No Pilot	No Pilot	5324



Clutch Tools